ELSEVIER

International Journal of Mass Spectrometry 212 (2001) 553

www.elsevier.com/locate/ijms

Author index

Allen, T.M., 197
Amicangelo, J.C., 301
Armentrout, P.B., 301

Baker, T.R., 135
Balaji, V., 477
Bartsch, R.A., 389
Blair, S.M., 389
Bowers, M.T., 13
Bowie, J.H., 249
Brodbelt, J.S., 389
Burinsky, D.J., 111
Busch, K.L., xv
Byrd, H.C., 455

Cacace, F., 403
Castleman, A.W. Jr., 273
Chrisman, P.A., 359
Cisper, M.E., 197
Clemmer, D.E., 97
Cook, L.A., 377

Danell, A.S., 219
David, D.E., 477
de Clercq, H.L., 491
Dobson, R.L.M., 135

Eberlin, M.N., 445
Enke, C.G., 1

Futrell, J.H., 491

Garrison, B.J., 467
Ghosh, U., 41
Gillig, K.J., 519
Glish, G.L., 219
Greis, K.D., 135
Grossert, J.S., 65
Gu, C., 535

Hao, C., 337
Harbol, K.L., 135
Hayakawa, S., 229
Hemberger, P.H., 197
Herman, Z., 413
Hieftje, G.M., 49
Hildebrandt, J.D., 377
Hoke, S.H. II, 135
Huang, X., 389

Kemper, P.R., 13
Kenttämaa, H.I., 455
Ketola, R.A., 205
Kondrat, R.W., 89
Kotiaho, T., 205
Kulchania, M., 97
Kulkarni, G.U., 267

Lammert, S.A., 25
Leach, A.M., 49
Luthy, R.G., 41

Mahajan, T.B., 41
March, R.E., 337
Martin, C.D., 535
Mattila, I., 205
McLafferty, F.W., 81
McLuckey, S.A., xi, 359
Meurer, E.C., 445
Michl, J., 477
Moraes, L.A.B., 445
Morand, K.L., 135

Newton, K.A., 359
Nikolaev, E.N., 535

Petzold, C.J., 455
Plass, W.R., 25
Price, J.M., 455

Raina, G., 267
Rao, C.N.R., 267
Reid, G.E., 359
Ruotolo, B.T., 519
Russell, D.H., 519

Samuelson, G.L., 535
Schey, K.L., 377
Schröder, D., 327
Schroeter, K., 327
Schwarz, H., 327
Sen, A.D., 491
Shukla, A.K., 491
Smith, D.L., 535
Somogyi, Á., 535
Srebalus Barnes, C.A., 97
Stairs, J.R., 273
Stone, E.G., 519
Strittmatter, E.F., 287
Sysoev, A.A., 205

Tarkiainen, V., 205
Thompson, C.V., 25

Urbassek, H.M., 477

Valentine, S.J., 97
Vincenti, M., 505

Wells, J.M., 359
Wilkerson, C.W. Jr., 197
Williams, E.R., 287
Williams, J.D., 111
Williams, S., 389
Winograd, N., 467
Wise, M.B., 25
Wisniewski, E.S., 273
Wysocki, V.H., 535
Wyttenbach, T., 13

Zare, R.N., 41

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved
PII S1387-3806(00)00239-6

ELSEVIER

International Journal of Mass Spectrometry 212 (2001) 555–560

www.elsevier.com/locate/ijms

Subject index

Acylium ions
Cyclization of acylium ions with nitriles: gas-phase synthesis and characterization of 1,3,5-oxadiazinium ions, 445
Adenine
Examination of barriered and barrierless hydrogen atom abstraction reactions by organic radical cations: the cytosine radical cation, 455
Analysis of complex biological matrices
Mixture analysis by mass spectrometry: now's the time, 89
A retrospective view of mass spectrometry and natural products—sixty years of progress, with a focus on contributions by R. Graham Cooks, 65
Tandem mass spectrometric analysis of complex biological mixtures, 81
Anions
Charge-stripping of anions in the gas phase: the formation of interesting neutrals and cations, 249
Apomyoglobin ions
Gaseous apomyoglobin ion dissociation in a quadrupole ion trap: $[M + 2H]^{2+}$–$[M + 21H]^{21+}$, 359
Atmospheric chemistry
Discovery and characterization of atmospherically relevant inorganic species by structurally diagnostic mass spectrometric techniques, 403

Benzene
Molecular desorption and secondary ion mass spectrometry, 467
Binding selectivity
Determination of alkali metal cation selectivities of dibenzo-16-crown-5 lariat ethers with ether pendant groups by using electrospray ionization quadrupole ion trap mass spectrometry, 389
Biomolecules
The role of proton affinity, acidity, and electrostatics on the stability of neutral versus ion-pair forms of molecular dimers, 287
Bond dissociation energies
Relative and absolute bond dissociation energies of sodium cation complexes determined using competitive collision-induced dissociation experiments, 301

CAD
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Charge inversion
Charge permutation reactions in beam type mass spectrometers, 219
Charge inversion mass spectrometer (PMS/NMS)
International energy distribution in charge inversion mass spectrometry using alkali metal targets, 229
Charge-stripping
Charge permutation reactions in beam type mass spectrometers, 219
Charge-stripping of anions in the gas phase: the formation of interesting neutrals and cations, 249
Competitive ligand losses in mono- and dicationic $L'FeL^{+/2+}$ complexes (L', L = arene): structural insight and charge-state dependent reversals of branching ratios, 327
Chemical analysis
The science of chemical analysis and the technique of mass spectrometry, 1
Chromatography
Multidimensional separations of complex peptide mixtures: a combined high-performance liquid chromatography/ion mobility/time-of-flight mass spectrometry approach, 97
Cluster
A new time-of-flight gating method for analyzing kinetic energy release in Coulomb exploded clusters: application to water clusters, 273
Collision cell
Use of an ion guide collision cell to improve the analytical performance of an inductively coupled plasma time-of-flight mass spectrometer, 49
Collisional activation
Discovery and characterization of atmospherically relevant inorganic species by structurally diagnostic mass spectrometric techniques, 403
Gaseous apomyoglobin ion dissociation in a quadrupole ion trap: $[M + 2H]^{2+}$–$[M + 21H]^{21+}$, 359
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved
PII S1387-3806(00)00240-2

Collision-induced dissociation (CID)
Implementation of low-energy surface-induced dissociation (eV SID) and high-energy collision-induced dissociation (keV CID) in a linear sector-TOF hybrid tandem mass spectrometer, 535
International energy distribution in charge inversion mass spectrometry using alkali metal targets, 229
Ion trap tandem mass spectrometry of intact GTP-binding protein γ-subunits, 377
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Column switching
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Competitive collision-induced dissociation
Relative and absolute bond dissociation energies of sodium cation complexes determined using competitive collision-induced dissociation experiments, 301
Complex mixture analysis
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Condensed gases
Sputtering of condensed polyatomic gases by kilo-electron-volt-energy ions, 477
Conversion device
The science of chemical analysis and the technique of mass spectrometry, 1
Coulomb explosion
A new time-of-flight gating method for analyzing kinetic energy release in Coulomb exploded clusters: application to water clusters, 273
Counting measurements
The science of chemical analysis and the technique of mass spectrometry, 1
Cyclization reactions
Cyclization of acylium ions with nitriles: gas-phase synthesis and characterization of 1,3,5-oxadiazinium ions, 445
Cytosine
Examination of barriered and barrierless hydrogen atom abstraction reactions by organic radical cations: the cytosine radical cation, 455

Data processing
The crossed-beam scattering method in studies of ion-molecule reaction dynamics, 413
Desorption chemical ionization
The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers, 505
Dications
Competitive ligand losses in mono- and dicationic $L'FeL^{+/2+}$ complexes (L′, L = arene): structural insight and charge-state dependent reversals of branching ratios, 327
Differentiating characteristic
The science of chemical analysis and the technique of mass spectrometry, 1
Diffusivity
Application of the numerical model describing analyte permeation through hollow fiber membranes into vacuum for determination of permeation parameters of organic compounds in a silicone membrane, 205
Direct chemical ionization
The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers, 505

Electron capture dissociation (ECD)
Tandem mass spectrometric analysis of complex biological mixtures, 81
Electron ionization
Examination of barriered and barrierless hydrogen atom abstraction reactions by organic radical cations: the cytosine radical cation, 455
Electrospray ionization (ESI)
Design of a new electrospray ion mobility mass spectrometer, 13
Determination of alkali metal cation selectivities of dibenzo-16-crown-5 lariat ethers with ether pendant groups by using electrospray ionization quadrupole ion trap mass spectrometry, 389
Gaseous apomyoglobin ion dissociation in a quadrupole ion trap: $[M + 2H]^{2+}$–$[M + 21H]^{21+}$, 359
Ion trap tandem mass spectrometry of intact GTP-binding protein γ-subunits, 377
A survey of recent research activity in quadrupole ion trap mass spectrometry, 337
Elemental analysis
Use of an ion guide collision cell to improve the analytical performance of an inductively coupled plasma time-of-flight mass spectrometer, 49
Energetic ions
Sputtering of condensed polyatomic gases by kilo-electron-volt-energy ions, 477
Energy transfer
Inelastic ion-surface collisions: scattering and dissociation of low energy benzene molecular cations, 491
Ethanol-water clusters
Mass spectrometric determination of the surface compositions of ethanol-water mixtures, 267

Experimental methods
The crossed-beam scattering method in studies of ion-molecule reaction dynamics, 413

Femtosecond
A new time-of-flight gating method for analyzing kinetic energy release in Coulomb exploded clusters: application to water clusters, 273
Fluorinated self-assembled monolayers (F-SAM)
Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-o-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS^1 and MS^2 spectra, 519
Fourier transfrom ion cyclotron resonance mass spectrometer
Examination of barriered and barrierless hydrogen atom abstraction reactions by organic radical cations: the cytosine radical cation, 455

Gas chromatography
Simultaneous detection of volatile, semivolatile organic compounds, and organometallic compounds in both air and water matrices by using membrane introduction mass spectrometry, 197
A survey of recent research activity in quadrupole ion trap mass spectrometry, 337
Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies, 135
Gas phase
The role of proton affinity, acidity, and electrostatics on the stability of neutral versus ion-pair forms of molecular dimers, 287
Gaseous ions
A survey of recent research activity in quadrupole ion trap mass spectrometry, 337
Geometry optimization
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25
Guided ion beam mass spectrometry
Relative and absolute bond dissociation energies of sodium cation complexes determined using competitive collision-induced dissociation experiments, 301

High-energy CID
Charge permutation reactions in beam type mass spectrometers, 219

Inductively coupled plasma
Use of an ion guide collision cell to improve the analytical performance of an inductively coupled plasma time-of-flight mass spectrometer, 49
Ion bombardment
Molecular desorption and secondary ion mass spectrometry, 467
Sputtering of condensed polyatomic gases by kilo-electron-volt-energy ions, 477
Ion guide
Use of an ion guide collision cell to improve the analytical performance of an inductively coupled plasma time-of-flight mass spectrometer, 49
Ion mobility spectrometry
Multidimensional separations of complex peptide mixtures: a combined high-performance liquid chromatography/ion mobility/time-of-flight mass spectrometry approach, 97
Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-o-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS^1 and MS^2 spectra, 519
Ion scattering
The crossed-beam scattering method in studies of ion-molecule reaction dynamics, 413
Inelastic ion-surface collisions: scattering and dissociation of low energy benzene molecular cations, 491
Ion storage
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25
Ion trap analyzer geometry
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25
Ion/ion reactions
Gaseous apomyoglobin ion dissociation in a quadrupole ion trap: $[M + 2H]^{2+}$–$[M + 21H]^{21+}$, 359
Ion-molecule reactions
Charge-stripping of anions in the gas phase: the formation of interesting neutrals and cations, 249
The crossed-beam scattering method in studies of ion-molecule reaction dynamics, 413
Cyclization of acylium ions with nitriles: gas-phase synthesis and characterization of 1,3,5-oxadiazinium ions, 445
Ion-pair formation
The role of proton affinity, acidity, and electrostatics on the stability of neutral versus ion-pair forms of molecular dimers, 287
Ion-surface collisions
Inelastic ion-surface collisions: scattering and dissociation of low energy benzene molecular cations, 491
Isoprenylation
Ion trap tandem mass spectrometry of intact GTP-binding protein γ-subunits, 377

Kilo-electron-volt-energy ions
Sputtering of condensed polyatomic gases by kilo-electron-volt-energy ions, 477

Kinetic energy
Discovery and characterization of atmospherically relevant inorganic species by structurally diagnostic mass spectrometric techniques, 403
Inelastic ion-surface collisions: scattering and dissociation of low energy benzene molecular cations, 491
Kinetic method
Competitive ligand losses in mono- and dicationic $L'FeL^{+/2+}$ complexes (L', L = arene): structural insight and charge-state dependent reversals of branching ratios, 327

Lariat ether
Determination of alkali metal cation selectivities of dibenzo-16-crown-5 lariat ethers with ether pendant groups by using electrospray ionization quadrupole ion trap mass spectrometry, 389
LC/MS
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
LC/MS/MS
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Liquid chromatography
Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies, 135

Mass spectrometry
Design of a new electrospray ion mobility mass spectrometer, 13
Discovery and characterization of atmospherically relevant inorganic species by structurally diagnostic mass spectrometric techniques, 403
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Mixture analysis by mass spectrometry: now's the time, 89
The science of chemical analysis and the technique of mass spectrometry, 1
Simultaneous detection of volatile, semivolatile organic compounds, and organometallic compounds in both air and water matrices by using membrane introduction mass spectrometry, 197
A survey of recent research activity in quadrupole ion trap mass spectrometry, 337
Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies, 135
Matrix-assisted laser desorption ionization (MALDI)
Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-o-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS^1 and MS^2 spectra, 519
Measurement
The science of chemical analysis and the technique of mass spectrometry, 1
Metal complexation
Determination of alkali metal cation selectivities of dibenzo-16-crown-5 lariat ethers with ether pendant groups by using electrospray ionization quadrupole ion trap mass spectrometry, 389
Metal-arene complexes
Competitive ligand losses in mono- and dicationic $L'FeL^{+/2+}$ complexes (L', L = arene): structural insight and charge-state dependent reversals of branching ratios, 327
Microscale characterization
Microscale detection of polychlorinated biphenyls using two-step laser mass spectrometry, 41
Mixture analysis
Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies, 135
Molecular desorption
Molecular desorption and secondary ion mass spectrometry, 467
Molecular dynamics
Molecular desorption and secondary ion mass spectrometry, 467
Molecular receptors
The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers, 505
MS/MS
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Multidimensional separations
Multidimensional separations of complex peptide mixtures: a combined high-performance liquid chromatography/ion mobility/time-of-flight mass spectrometry approach, 97

Nanospray
Ion trap tandem mass spectrometry of intact GTP-binding protein γ-subunits, 377
Natural energy-decomposition analysis (NEDA)
The role of proton affinity, acidity, and electrostatics on the stability of neutral versus ion-pair forms of molecular dimers, 287

Natural products
A retrospective view of mass spectrometry and natural products—sixty years of progress, with a focus on contributions by R. Graham Cooks, 65
Neutralization reionization
Charge-stripping of anions in the gas phase: the formation of interesting neutrals and cations, 249
Discovery and characterization of atmospherically relevant inorganic species by structurally diagnostic mass spectrometric techniques, 403
Nitriles
Cyclization of acylium ions with nitriles: gas-phase synthesis and characterization of 1,3,5-oxadiazinium ions, 445
Nonlinear fields
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25

Organometallic compounds
The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers, 505

Peak overlap
The science of chemical analysis and the technique of mass spectrometry, 1
Peak trapping
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Pentaquadrupole tandem mass spectrometry
Cyclization of acylium ions with nitriles: gas-phase synthesis and characterization of 1,3,5-oxadiazinium ions, 445
Permeation parameters
Application of the numerical model describing analyte permeation through hollow fiber membranes into vacuum for determination of permeation parameters of organic compounds in a silicone membrane, 205
Pharmaceuticals
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
Transformations in pharmaceutical research and development, driven by innovations in multidimensional mass spectrometry-based technologies, 135
Polychlorinated biphenyls
Microscale detection of polychlorinated biphenyls using two-step laser mass spectrometry, 41
Polymers
The renaissance of desorption chemical ionization mass spectrometry: characterization of large involatile molecules and nonpolar polymers, 505
Proteomics
Multidimensional separations of complex peptide mixtures: a combined high-performance liquid chromatography/ion mobility/time-of-flight mass spectrometry approach, 97
Tandem mass spectrometric analysis of complex biological mixtures, 81
Proton transfer
The role of proton affinity, acidity, and electrostatics on the stability of neutral versus ion-pair forms of molecular dimers, 287

Quadrupole ion trap
Charge permutation reactions in beam type mass spectrometers, 219
Determination of alkali metal cation selectivities of dibenzo-16-crown-5 lariat ethers with ether pendant groups by using electrospray ionization quadrupole ion trap mass spectrometry, 389
Gaseous apomyoglobin ion dissociation in a quadrupole ion trap: $[M + 2H]^{2+}$–$[M + 21H]^{21+}$, 359
A survey of recent research activity in quadrupole ion trap mass spectrometry, 337

Radical cations
Examination of barriered and barrierless hydrogen atom abstraction reactions by organic radical cations: the cytosine radical cation, 455
Rf ion trap
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25

Sector
Charge permutation reactions in beam type mass spectrometers, 219
Semivolatile organic compounds
Simultaneous detection of volatile, semivolatile organic compounds, and organometallic compounds in both air and water matrices by using membrane introduction mass spectrometry, 197
SIMS
Molecular desorption and secondary ion mass spectrometry, 467
Simulations
Design, optimization and initial performance of a toroidal rf ion trap mass spectrometer, 25
Sodium complexes
Relative and absolute bond dissociation energies of sodium cation complexes determined using competitive collision-induced dissociation experiments, 301

Surface composition
Mass spectrometric determination of the surface compositions of ethanol-water mixtures, 267
Surface-induced dissociation (SID)
Charge permutation reactions in beam type mass spectrometers, 219
Implementation of low-energy surface-induced dissociation (eV SID) and high-energy collision-induced dissociation (keV CID) in a linear sector-TOF hybrid tandem mass spectrometer, 535
Inelastic ion-surface collisions: scattering and dissociation of low energy benzene molecular cations, 491
Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-o-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS^1 and MS^2 spectra, 519

Tandem mass spectrometry
Implementation of low-energy surface-induced dissociation (eV SID) and high-energy collision-induced dissociation (keV CID) in a linear sector-TOF hybrid tandem mass spectrometer, 535
International energy distribution in charge inversion mass spectrometry using alkali metal targets, 229
Mass spectrometric analysis of complex mixtures then and now: the impact of linking liquid chromatography and mass spectrometry, 111
A retrospective view of mass spectrometry and natural products—sixty years of progress, with a focus on contributions by R. Graham Cooks, 65
Tandem mass spectrometric analysis of complex biological mixtures, 81

Time-of-flight (TOF)
Implementation of low-energy surface-induced dissociation (eV SID) and high-energy collision-induced dissociation (keV CID) in a linear sector-TOF hybrid tandem mass spectrometer, 535
Mass spectrometric determination of the surface compositions of ethanol-water mixtures, 267
A new time-of-flight gating method for analyzing kinetic energy release in Coulomb exploded clusters: application to water clusters, 273
Optimization of a matrix-assisted laser desorption ionization-ion mobility-surface-induced dissociation-o-time-of-flight mass spectrometer: simultaneous acquisition of multiple correlated MS^1 and MS^2 spectra, 519
Use of an ion guide collision cell to improve the analytical performance of an inductively coupled plasma time-of-flight mass spectrometer, 49
Two-step laser mass spectrometry
Microscale detection of polychlorinated biphenyls using two-step laser mass spectrometry, 41

Volatile organic compounds
Simultaneous detection of volatile, semivolatile organic compounds, and organometallic compounds in both air and water matrices by using membrane introduction mass spectrometry, 197

Water
A new time-of-flight gating method for analyzing kinetic energy release in Coulomb exploded clusters: application to water clusters, 273